



Integrated Optical Phase Modulator

Waveguide-based electro-optical light modulator



The Integrated Optical Phase Modulator is a compact fiber-coupled electro-optical modulator that works based on $\text{MgO}:\text{LiNbO}_3$ and LiNbO_3 crystals. Providing fast electro-optical response, it allows phase modulation with frequencies as high as the Gigahertz range. Available modulators can handle wavelengths in the visible and the infrared spectral range.

Standard-designed modulators use polarization maintaining single mode fibers to couple the light in and out. They may also be configured with fiber systems or connectors of different types. Each modulator may be fitted with an analog amplifier unit on special request.

Benefits

- Application in the VIS or IR spectrum
- High modulation frequencies
- Single mode fiber coupling
- Low modulation voltage

Applications

- Analog and digital modulation
- Sideband generation
- Interferometric metrology
- Optical coherence tomography


Integrated Optical Phase Modulator

Waveguide-based electro-optical light modulator

Specifications

Type	PM 532	PM 635	PM 830	PM 1064	PM 1550
Wavelength [nm] Other wavelengths on request	532	635	830	1064	1550
Spectral bandwidth [nm]	± 15	± 20	± 40	± 60	± 100
Insertion Loss, typical [dB]	7	6	5	4	3
Minimum optical rise time 10/90, typical	1 ns	200 ps	200 ps	200 ps	200 ps
Optical connection, input Standard Fiber connector	Polarisation maintaining single mode fiber Bare fiber, FC/PC connector or FC/APC connector				
Optical connection, output Standard Optional Fiber connector	Polarisation maintaining single mode fiber Single mode or multi mode fiber Bare fiber, FC/PC or FC/APC connector				
Half wave voltage, typical	4 V	6 V	6 V	6 V	10 V
Maximum optical input power (cw)	10 mW	30 mW	50 mW	300 mW	300 mW
Dimensions L x W x H (housing, without fiber feed-through)	96 mm x 19 mm x 10 mm				

Dimensions Phase Modulator



It is our policy to constantly improve the design and specifications. Accordingly, the details represented herein cannot be regarded as final and binding.



JENOPTIK | Healthcare & Industry
 Healthcare Business Unit
 JENOPTIK Optical Systems GmbH
 Goeschwitzer Strasse 25 | 07745 Jena | Germany
 Phone +49 3641 65-4530 | Fax -3807
 lightmodulators@jenoptik.com | www.jenoptik.com/light-modulators